

HAZARD

including
LOTHAIR, HARVEYTON & DOWLAIS
PERRY COUNTY
KENTUCKY
SANBORN MAP CO. NEW YORK
APRIL, 1930
Copyright 1930 by the Sanborn Map Co.
JUL 1930

Population: 8,500 Prevailing Winds: S.W.

WATER FACILITIES:
Owned & operated by City of Hazard. Gravity & direct pressure system. Source - North Fork of the Kentucky River. Pumps: 1. De Laval centrifugal (motor-driven) capy. 650 G.P.M. (high lift) 1. De Laval centrifugal (motor-driven) capy. 750 G.P.M. (high lift) 1. De Laval centrifugal (motor-driven) capy. 750 G.P.M. each (low lift) 1. Gravity tank capy. 350,000 gallons elevated 120' above business section. Nine miles of 10" water mains. 25 double hydr. Average pressure at Court No. 35. Average daily consumption 350,000 gals.

FIRE DEPT:
Volunteer company of 12 men - Paid by alarm 1 Chief & 11 Fire Chief. Fully paid. One Fire Station. Apparatus: 1 Steam triple combination - capy. 650 G.P.M. 2000' 24" hose - 50 gal. chem. tank 300 chem. hose. 300' 24" hose in reserve. Alarm by siren at Fire Station and telephone.

FIRE RESISTIVE ROOFING ORDINANCE:
Ordinance prohibiting building or repairing of wooden shingle roofs in fire limits only adopted July 6, 1925.
5 1/2 miles concrete paving - 1 mile asphalt - balance not paved. Elevations as shown. Public lights - elec.

~LOTHAIR~
(NOT INCORPORATED)
No Fire Dept. No water works

INDEX

STREETS		STREETS	
A Place (arbitrary), at Lothair, 21		Kentucky & Virginia Highway, 13	
Acton Place (arbitrary), 3 & 11		Laurel, 19 & 20	
Africa, see 1 St.		Liberty, 100-125	
Alamo Ave., at Lothair, 20		Little Boulevard, 100-125	
Alta (arbitrary), 2		Locust, at Lothair, 22	
Asia, see Y St.		Maple, 1116-1117, arbitrary	
Avenue Pl. (arb.), at Lothair, 15-20, arb.		Miller Ave., 700-710	
		Mulberry, 700-710	
		N. & W. Main, 1601-1647, arbitrary	
		S. see W. Main	
		W., 400-410	
		W., 420-440	
		W., 450-470	
		W., 480-500	
		W., 510-530	
		W., 540-560	
		W., 570-590	
		W., 600-620	
		W., 630-650	
		W., 660-680	
		W., 690-710	
		W., 720-740	
		W., 750-770	
		W., 780-800	
		W., 810-830	
		W., 840-860	
		W., 870-890	
		W., 900-920	
		W., 930-950	
		W., 960-980	
		W., 990-1010	
		W., 1020-1040	
		W., 1050-1070	
		W., 1080-1100	
		W., 1110-1130	
		W., 1140-1160	
		W., 1170-1190	
		W., 1200-1220	
		W., 1230-1250	
		W., 1260-1280	
		W., 1290-1310	
		W., 1320-1340	
		W., 1350-1370	
		W., 1380-1400	
		W., 1410-1430	
		W., 1440-1460	
		W., 1470-1490	
		W., 1500-1520	
		W., 1530-1550	
		W., 1560-1580	
		W., 1590-1610	
		W., 1620-1640	
		W., 1650-1670	
		W., 1680-1700	
		W., 1710-1730	
		W., 1740-1760	
		W., 1770-1790	
		W., 1800-1820	
		W., 1830-1850	
		W., 1860-1880	
		W., 1890-1910	
		W., 1920-1940	
		W., 1950-1970	
		W., 1980-2000	
		W., 2010-2030	
		W., 2040-2060	
		W., 2070-2090	
		W., 2100-2120	
		W., 2130-2150	
		W., 2160-2180	
		W., 2190-2210	
		W., 2220-2240	
		W., 2250-2270	
		W., 2280-2300	
		W., 2310-2330	
		W., 2340-2360	
		W., 2370-2390	
		W., 2400-2420	
		W., 2430-2450	
		W., 2460-2480	
		W., 2490-2510	
		W., 2520-2540	
		W., 2550-2570	
		W., 2580-2600	
		W., 2610-2630	
		W., 2640-2660	
		W., 2670-2690	
		W., 2700-2720	
		W., 2730-2750	
		W., 2760-2780	
		W., 2790-2810	
		W., 2820-2840	
		W., 2850-2870	
		W., 2880-2900	
		W., 2910-2930	
		W., 2940-2960	
		W., 2970-2990	
		W., 3000-3020	
		W., 3030-3050	
		W., 3060-3080	
		W., 3090-3110	
		W., 3120-3140	
		W., 3150-3170	
		W., 3180-3200	
		W., 3210-3230	
		W., 3240-3260	
		W., 3270-3290	
		W., 3300-3320	
		W., 3330-3350	
		W., 3360-3380	
		W., 3390-3410	
		W., 3420-3440	
		W., 3450-3470	
		W., 3480-3500	
		W., 3510-3530	
		W., 3540-3560	
		W., 3570-3590	
		W., 3600-3620	
		W., 3630-3650	
		W., 3660-3680	
		W., 3690-3710	
		W., 3720-3740	
		W., 3750-3770	
		W., 3780-3800	
		W., 3810-3830	
		W., 3840-3860	
		W., 3870-3890	
		W., 3900-3920	
		W., 3930-3950	
		W., 3960-3980	
		W., 3990-4010	
		W., 4020-4040	
		W., 4050-4070	
		W., 4080-4100	
		W., 4110-4130	
		W., 4140-4160	
		W., 4170-4190	
		W., 4200-4220	
		W., 4230-4250	
		W., 4260-4280	
		W., 4290-4310	
		W., 4320-4340	
		W., 4350-4370	
		W., 4380-4400	
		W., 4410-4430	
		W., 4440-4460	
		W., 4470-4490	
		W., 4500-4520	
		W., 4530-4550	
		W., 4560-4580	
		W., 4590-4610	
		W., 4620-4640	
		W., 4650-4670	
		W., 4680-4700	
		W., 4710-4730	
		W., 4740-4760	
		W., 4770-4790	
		W., 4800-4820	
		W., 4830-4850	
		W., 4860-4880	
		W., 4890-4910	
		W., 4920-4940	
		W., 4950-4970	
		W., 4980-5000	
		W., 5010-5030	
		W., 5040-5060	
		W., 5070-5090	
		W., 5100-5120	
		W., 5130-5150	
		W., 5160-5180	
		W., 5190-5210	
		W., 5220-5240	
		W., 5250-5270	
		W., 5280-5300	
		W., 5310-5330	
		W., 5340-5360	
		W., 5370-5390	
		W., 5400-5420	
		W., 5430-5450	
		W., 5460-5480	
		W., 5490-5510	
		W., 5520-5540	
		W., 5550-5570	
		W., 5580-5600	
		W., 5610-5630	
		W., 5640-5660	
		W., 5670-5690	
		W., 5700-5720	
		W., 5730-5750	
		W., 5760-5780	
		W., 5790-5810	
		W., 5820-5840	
		W., 5850-5870	
		W., 5880-5900	
		W., 5910-5930	
		W., 5940-5960	
		W., 5970-5990	
		W., 6000-6020	
		W., 6030-6050	
		W., 6060-6080	
		W., 6090-6110	
		W., 6120-6140	
		W., 6150-6170	
		W., 6180-6200	
		W., 6210-6230	
		W., 6240-6260	
		W., 6270-6290	
		W., 6300-6320	
		W., 6330-6350	
		W., 6360-6380	
		W., 6390-6410	
		W., 6420-6440	
		W., 6450-6470	
		W., 6480-6500	
		W., 6510-6530	
		W., 6540-6560	
		W., 6570-6590	
		W., 6600-6620	
		W., 6630-6650	
		W., 6660-6680	
		W., 6690-6710	
		W., 6720-6740	
		W., 6750-6770	
		W., 6780-6800	
		W., 6810-6830	
		W., 6840-6860	
		W., 6870-6890	
		W., 6900-6920	
		W., 6930-6950	
		W., 6960-6980	
		W., 6990-7010	
		W., 7020-7040	
		W., 7050-7070	
		W., 7080-7100	
		W., 7110-7130	
		W., 7140-7160	
		W., 7170-7190	
		W., 7200-7220	
		W., 7230-7250	
		W., 7260-7280	
		W., 7290-7310	
		W., 7320-7340	
		W., 7350-7370	
		W., 7380-7400	
		W., 7410-7430	
		W., 7440-7460	
		W., 7470-7490	
		W., 7500-7520	
		W., 7530-7550	
		W., 7560-7580	
		W., 7590-7610	
		W., 7620-7640	
		W., 7650-7670	
		W., 7680-7700	
		W., 7710-7730	
		W., 7740-7760	
		W., 7770-7790	
		W., 7800-7820	
		W., 7830-7850	
		W., 7860-7880	
		W., 7890-7910	
		W., 7920-7940	
		W., 7950-7970	
		W., 7980-8000	
		W., 8010-8030	
		W., 8040-8060	
		W., 8070-8090	
		W., 8100-8120	
		W., 8130-8150	
		W., 8160-8180	
		W., 8190-8210	
		W., 8220-8240	
		W., 8250-8270	
		W., 8280-8300	
		W., 8310-8330	
		W., 8340-8360	
		W., 8370-8390	
		W., 8400-8420	
		W., 8430-8450	
		W., 8460-8480	
		W., 8490-8510	
		W., 8520-8540	
		W., 8550-8570	
		W., 8580-8600	
		W., 8610-8630	
		W., 8640-8660	
		W., 8670-8690	
		W., 8700-8720	
		W., 8730-8750	
		W., 8760-8780	
		W., 8790-8810	
		W., 8820-8840	
		W., 8850-8870	
		W., 8880-8900	
		W., 8910-8930	
		W., 8940-8960	
		W., 8970-8990	
		W., 9000-9020	
		W., 9030-9050	
		W., 9060-9080	
		W., 9090-9110	
		W., 9120-9140	
		W., 9150-9170	
		W., 9180-9200	
		W., 9210-9230	
		W., 9240-9260	
		W., 9270-9290	
		W., 9300-9320	
		W., 9330-9350	
		W., 9360-9380	
		W., 9390-9410	
		W., 9420-9440	
		W., 9450-9470	
		W., 9480-9500	
		W., 9510-9530	
		W., 9540-9560	
		W., 9570-9590	
		W., 9600-9620	
		W., 9630-9650	
		W., 9660-9680	
		W., 9690-9710	
		W., 9720-9740	
		W., 9750-9770	
		W., 9780-9800	
		W., 9810-9830	
		W., 9840-9860	
		W., 9870-9890	
		W., 9900-9920	
		W., 9930-9950	
		W., 9960-9980	
		W., 9990-10010	
		W., 10020-10040	
		W., 10050-10070	
		W., 10080-10100	
		W., 10110-10130	
		W., 10140-10160	
		W., 10170-10190	
		W., 10200-10220	
		W., 10230-10250	
		W., 10260-10	

2

3

2

APR. 1930
HAZARD
KY.

North Fork of Kentucky River

17



SCALE 50 FT. TO ONE INCH
Copyright 1930 by The Standard Map Co.

APR. 1930
HAZARD
KY.

North Fork of the Kentucky River



SCALE 50 FT. TO ONE INCH
Copyright 1930 by the Southern Map Co.

APR. 1930
HAZARD
KY.

North Fork of The Kentucky River

17






6

6





APR. 1930
HAZARD
KY

SCALE 50 FT. TO ONE INCH
Copyright 1930 by the Standard Map Co.

8

8

APR 1930
HAZARD
KY.



9

9



APR 1930
HAZARD
KY.



SCALE 50 FT. TO ONE INCH
Copyright 1930 by the Standard Map Co.

APR 1930
HAZARD
Ky.



APR. 1930
HAZARD
KY.



12

12

APR. 1930
HAZARD
KY.

LOTHAIR

Located 2 Miles S.E. of Court Ho

ALGOMA BLOCK

COAL CORP'N

201

202

AVON PL.

MAIN (COKE)

1ST ST.

22

North Fork of the Kentucky River

STEEP HILL SIDE

HIGHLAND AV.

35

DEEP RAVINE

EVERSOLE

HALL

HIGHLAND AV.

37

38

SIMPSON CT

TATE AV.

10

11



SCALE 50 FT TO ONE INCH
Copyright 1930 by the Standard Map Co.

RAILROAD

21

KENTUCKY & VIRGINIA HIGHWAY

CITY WATER TANK
CAP 250,000 GALS

COLLEGE

BROADWAY

NEWLIN ST.

13

6

APR 1930
HAZARD
KY.

13

(2598)



14

14



15

15

APR 1930
HAZARD
KY.




APR. 1930
HAZARD
KY.

LOTHAIR


Located 2 Miles S.E. of Court Ho.







17

APR 1930
HAZARD
KY.

17



2



14

North Fork of Kentucky River



APR 1930
HAZARD
KY.

SCHOOL (HIGH SCHOOL)

KENTUCKY & VIRGINIA

(16)

103

107

17

19

SCALE 50 FT TO ONE INCH
Copyright 1930 by The Standard Map Co.

31 STEEP HILLSIDE

BLUE GRASS MILK & ICE CREAM CO.
ICE CREAM & DAIRY PRODUCTS

PLASTERED WALLS
ELEG. STGE.
PAVED YARD

NEW MATCHES - NO CLOAK -
CIG. CO. - HAT, TRUNK, GLOVES -
ELEG. - FURN. ETC.

KENTUCKY & VIRGINIA HWY

North Fork Of Kentucky River
NO EXPOSURE ANY SIDE

APR 1930
HAZARD
KY.



APR. 1930
HAZARD
Ky.



21

North Fork of the Kentucky River

LOTHAIR

Located 2 Miles S.E. of Court Ho.

21

APR. 1930
HAZARD
KY.

RAILROAD

203

COAL DRIVE

BOAR ST

KENTUCKY & VIRGINIA HWY

204

LOCUST

LOTHAIR GRADED SCHOOL

206

ALGOMA AV.

22

210

POPLAR

MULBERRY



SCALE 50 Ft. to One Inch
Copyright 1930 by the Hazard Map Co.

60' KENTUCKY & VIRGINIA HWY

22

E X P O S U R E

